The Theory of Everything:

The Origin and Fate of The Universe

Stephen W. Hawking

Abstract

The Theory of Everything:
A Concise Summary of Stephen Hawking's Lectures

By S. S. Rahman

This document provides a clear, concise summary of Stephen Hawking's seminal work, *The Theory of Everything*. Distilled from a series of seven lectures, it offers a high-level overview of the history of the universe, from the Big Bang to the quest for a unified theory of physics.

The notes cover key concepts in modern cosmology, including:

- **Black Hole Thermodynamics and Hawking Radiation:** The groundbreaking idea that black holes are not truly "black" but emit radiation and slowly evaporate.
- **The Origin and Fate of the Universe:** A discussion of the Hot Big Bang model, the limitations of classical general relativity, and the problems it presents.
- **The "No Boundary" Proposal:** Hawking's revolutionary theory that the universe may be finite but have no beginning or end in a traditional sense, eliminating the need for a creator to set initial conditions.
- **The Direction of Time:** An exploration of the three "arrows of time" and why we remember the past but not the future.
- **The Search for a Unified Theory:** An overview of attempts to combine general relativity and quantum mechanics into a single, elegant framework, with a focus on string theory.

Designed for a broad audience, this summary offers an accessible entry point into Hawking’s most profound ideas, making his complex insights understandable without the need to navigate the full 150-page text. It serves as an essential resource for students, researchers, and anyone interested in the fundamental questions of our existence.

Contents

- **Lecture 1: Ideas about the Universe**

  Past and present ideas about the universe, tracing the shift from a static to an expanding model.

- **Lecture 2: The Expanding Universe**

  The implications of Newton's and Einstein's theories of gravity, which suggest a non-static universe that began with a Big Bang singularity 10-20 billion years ago.

- **Lecture 3: Black Holes**

  The formation of black holes from the collapse of massive stars, and how general relativity predicts that anything falling in is lost forever.

- **Lecture 4: Black Holes Aint’t So Black**

  The role of quantum mechanics in understanding black holes, specifically that they are not entirely "black" and can emit radiation (Hawking radiation).

- **Lecture 5: The Origin and Fate of the Universe**

  Applying quantum mechanics to the Big Bang, leading to the idea that spacetime might be finite but without a boundary.

- **Lecture 6: The Direction of Time**

  How the "no-boundary" proposal could explain the arrow of time, or why the past is different from the future.

- **Lecture 7: The Theory of Everything**

  The search for a unified theory that combines all the known laws of physics, including quantum mechanics and gravity, to fully comprehend the universe.

Lecture 1: Ideas About the Universe

Ancient Greek Cosmology

- **Aristotle (340 B.C.):** Argued the Earth was a sphere, not a flat plate, using two key pieces of evidence:
    1. The Earth's shadow on the moon during an eclipse is always round.



Licensed by Google

2. The **Pole Star** appears at a lower position in the sky when viewed from the south. He also estimated the Earth's circumference to be roughly double the actual size.

- **Ptolemy (1st century A.D.):** Developed Aristotle's model into a detailed system where a stationary Earth was at the center of the universe. The Sun, Moon, and planets orbited the Earth on complex paths. This geocentric model was accepted by the church because it left room for Heaven and Hell beyond the sphere of fixed stars.

The Copernican Revolution

- **Nicholas Copernicus (1514):** Proposed a simpler **heliocentric** model where the Sun was at the center of the universe and the planets, including Earth, orbited it in

circles. He initially published this idea anonymously due to fear of persecution for heresy.

- **Galileo Galilei (1609):** Provided observational evidence using a new invention, the telescope. He discovered that Jupiter had moons orbiting it, which proved that not all celestial bodies orbited the Earth.
- **Johannes Kepler:** Modified Copernicus's model by showing that planets moved in **elliptical** orbits, not perfect circles, which accurately matched astronomical observations.

Newton and the Static Universe

- **Isaac Newton (1687):** Published his **Law of Universal Gravitation**, stating that everybody in the universe attracts every other body. This force is responsible for both an apple falling and the Moon orbiting the Earth.
- **The Problem with a Static Universe:** Newton realized that in a finite universe, gravity would cause all-stars to eventually collapse into a single point. He argued that this problem could be avoided in an infinite universe with a uniform distribution of stars, as there would be no central point to collapse toward.
- **The Flaw in Newton's Argument:** This reasoning was later found to be incorrect. Any finite region within an infinite, uniform distribution of stars would still collapse under its own gravity. This revealed that a **static, infinite universe is inherently unstable**.

The Big Bang and a Dynamic Universe

- **Olbers' Paradox:** In the 19th century, **Heinrich Olbers** posed another problem for a static, infinite universe: If there were an infinite number of stars, the night sky should be as bright as the surface of the Sun. The only way to resolve this is if the universe is not infinitely old, or is not static.
- **Edwin Hubble (1929):** Made the crucial observation that all distant galaxies are moving away from us. This discovery meant the universe is **expanding**, proving that it is not static.
- **The Beginning of Time:** The expansion implies that the universe was smaller in the past. Tracing this back in time leads to a point of infinite density and infinitesimally small size called the **Big Bang**. This brought the question of the universe's origin into the realm of science, suggesting that time itself had a beginning.

Lecture 2: The Expanding Universe

The Discovery of Other Galaxies

- **Edwin Hubble's Revelation:** In 1924, Edwin Hubble proved that our galaxy, the **Milky Way**, isn't the entire universe. He demonstrated that there are countless other galaxies separated by vast stretches of empty space.
- **Measuring Distances:** To prove this, Hubble needed to measure the distances to these galaxies. Because they were too far to use the parallax method (observing positional shifts as Earth orbits the Sun), he used an indirect method.
    - **The Method:** He used a type of star with a known, constant **luminosity** (intrinsic brightness). By comparing this known luminosity to its **apparent brightness** (how bright it appears from Earth), he could calculate the star's distance. Since the star was in another galaxy, this measurement gave him the distance to that galaxy.

The Expanding Universe and the Doppler Effect

- **The Doppler Effect:** The Doppler effect is the change in frequency of a wave (like sound or light) in relation to an observer who is moving relative to the wave source.
    - **Sound Waves:** A car's engine sounds higher-pitched as it approaches (higher frequency) and lower-pitched as it moves away (lower frequency).
    - **Light Waves:** A similar effect happens with light.
        - **Redshift:** If a light source is moving away from an observer, its light waves get stretched, shifting them toward the red end of the spectrum.
        - **Blueshift:** If a light source is moving toward an observer, its light waves get compressed, shifting them toward the blue end of the spectrum.



Licensed by Google

- **Hubble's Observation:** When Hubble examined the light spectra from other galaxies, he found a significant **redshift**. This meant that all the galaxies were moving away from us.
- **Hubble's Law (Hubble's Contribution):** Hubble's most surprising finding in 1929 was that the farther away a galaxy was, the faster it was moving away from us. This direct proportionality between distance and recession velocity is known as **Hubble's Law**. This finding was the first major evidence that the universe is not static but is, in fact, expanding.

Friedmann's Models and the Fate of the Universe

- **Friedmann's Assumptions:** In the 1920s, Russian physicist Alexander Friedmann created models of the universe based on two simple assumptions:
    1. The universe looks the same in every direction.
    2. This is true from any point in the universe, not just ours. (This is known as the **Cosmological Principle**.)
- **Confirmation of Friedmann's First Assumption:** In 1965, Arno Penzias and Robert Wilson accidentally discovered **cosmic microwave background (CMB)**

radiation. This faint, uniform microwave signal coming from every direction in space was a relic of the hot, early universe. Its uniform nature provided strong evidence for Friedmann's first assumption that the universe is uniform on a large scale.

- **The Balloon Analogy:** Friedmann's model, and the idea of an expanding universe, is often explained with the analogy of a balloon with dots on its surface. As the balloon is inflated, all the dots move away from each other, but no single dot is at the "center" of the expansion. This also explains why more distant dots move away faster.
- **Possible Fates of the Universe:** Based on Friedmann's models, the fate of the universe depends on its average density.
    - **Recollapsing Universe (Closed Model):** If the average density of the universe is greater than a certain **critical density**, gravity will be strong enough to eventually halt the expansion. The universe would then start to contract, leading to a "Big Crunch."
    - **Ever-Expanding Universe (Open Model):** If the average density is less than the critical value, gravity will be too weak to stop the expansion. The universe will continue to expand forever.
    - **Critical Universe (Flat Model):** If the density is exactly the critical value, the universe will expand forever, but the rate of expansion will get slower and slower, approaching zero but never quite reaching it.
- **Current Evidence:** The mass of visible matter (stars, galaxies) and **dark matter** (which we can only infer from its gravitational effects) is still only about one-tenth of the critical density needed to halt the expansion. This suggests the universe will likely expand forever.

Lecture 3: Black Holes

The Concept of a Black Hole

- **Early Ideas:** The idea of an object with gravity so strong that light could not escape was first proposed in the late 1700s by **John Michell** and **Marquis de Laplace**, assuming light was made of particles subject to Newtonian gravity.
- **The Inconsistency:** Newtonian mechanics was not a consistent framework for this idea, as it treats light like a cannonball, slowing down and falling back. However, light's speed is constant.
- **Einstein's Theory:** A consistent understanding of gravity's effect on light only came with **Einstein's theory of general relativity** in 1915, which showed that gravity warps the fabric of spacetime itself.

The Formation of Black Holes

- **Life Cycle of a Star:** A star is formed from a collapsing cloud of gas, where the inward pull of gravity is balanced by the outward pressure from nuclear fusion. When a star runs out of fuel, it cools and begins to contract.
- **Chandrasekhar Limit:** In the 1920s, **S. Chandrasekhar** calculated that a cold star with a mass greater than about **1.5 times the mass of the Sun** could not support itself against its own gravity. This is called the **Chandrasekhar limit**.
    - **Less than the limit:** Stars below this limit can stabilize as **white dwarfs** (supported by electron repulsion) or **neutron stars** (supported by neutron repulsion).
    - **More than the limit:** Stars above this limit face a problem. The repulsion from the Pauli exclusion principle is not strong enough to counteract gravity, leading to an unstoppable collapse.
- **Gravitational Collapse:** In 1939, **Robert Oppenheimer** described what would happen to a massive star beyond the Chandrasekhar limit: its gravity would become so strong that it would warp spacetime, bending light cones inward. Eventually, it would shrink to a point where not even light could escape. This region is a **black hole**.
- **Event Horizon:** The boundary of a black hole, from which nothing can escape, is called the **event horizon**.

Characteristics of Black Holes

- **What an Observer Sees:** An observer watching a star collapse into a black hole would see the light from the star become progressively dimmer and redder (**gravitational redshift**), eventually fading out completely. The observer would

never see the final collapse itself due to the extreme time dilation near the event horizon.

- **Singularity:** The laws of general relativity predict that inside a black hole, matter collapses to a point of infinite density called a **singularity**.
- **Cosmic Censorship Hypothesis:** This hypothesis, proposed by Roger Penrose, states that a singularity is always hidden behind an event horizon. This prevents observers from seeing a "naked singularity," where the laws of physics break down.
- **"No-Hair" Theorem:** This theorem states that a stationary black hole is completely described by just three properties: its **mass**, its **rotation (angular momentum)**, and its **electric charge**. It loses all other information ("hair") about the matter that formed it.
    - The simplest, non-rotating black hole is described by the **Schwarzschild solution** to Einstein's equations.
    - The rotating black hole is described by the **Kerr solution**.

Evidence for Black Holes

- **Quasars:** The discovery of quasars in the 1960s—extremely distant and luminous objects—suggested a powerful energy source, possibly the gravitational collapse of matter onto a black hole at the center of a galaxy.
- **Pulsars:** The discovery of pulsars in 1967 (identified as rapidly rotating neutron stars) was the first concrete evidence for the existence of extremely dense stellar remnants, which lent credibility to the idea that even denser objects, black holes, could exist.
- **Observational Evidence:** We can't see black holes directly, but we can detect them by their gravitational influence on other objects.
    - **Cygnus X-1:** This is a binary star system containing a visible star and an unseen companion. The companion's mass is estimated to be about six times that of the sun, which is too massive to be a white dwarf or a neutron star. The best explanation is that the companion is a black hole, which is also a strong source of X-rays as it pulls matter from the visible star.

Primordial Black Holes

- **Origin:** Low-mass black holes, smaller than the Chandrasekhar limit, could not have formed from the collapse of stars. Hawking suggests they might have formed in the extremely high pressures and densities of the **early universe**.

- **Future Lecture Hint:** A black hole is not completely black. It emits radiation, and smaller black holes emit more, which makes them easier to detect. This idea, known as **Hawking radiation**, is the focus of the next lecture.

Lecture 4: Black Holes Aint’t So Black

The Area of a Black Hole

- **Defining the Black Hole:** Hawking and Roger Penrose defined a black hole as a region of spacetime from which it's impossible to escape. The boundary of this region is the **event horizon**, made of light rays that are trapped forever.
- **Non-decreasing Area:** Hawking realized that the area of the event horizon could never decrease.
    - The light rays forming the event horizon must either be parallel or moving away from each other. They can't approach each other, or they would eventually fall into the black hole themselves, violating the definition of the boundary.
    - This means that if two black holes merge, the area of the new black hole's event horizon will be greater than the sum of the areas of the original two.
    - This discovery, made by Hawking in 1970, was a key step toward understanding black holes.

Black Hole Thermodynamics

- **Second Law of Thermodynamics:** This law states that the **entropy** (disorder) of an isolated system can never decrease.
    - **Entropy and Black Holes:** The non-decreasing area of a black hole's event horizon was strikingly similar to the behavior of entropy.
- **The Problem:** Physicist **Jacob Bekenstein** proposed that a black hole's entropy was proportional to its event horizon's area. However, this implied that black holes must have a temperature. A body with a temperature must emit radiation, but a black hole, by definition, shouldn't emit anything. This seemed to be a fatal flaw in the idea.

Hawking Radiation

- **The Breakthrough:** In 1974, Hawking made a groundbreaking discovery: **black holes do emit radiation**. He was initially trying to disprove Bekenstein's idea but found that his calculations showed that even non-rotating black holes emit particles.
- **How It Works:** Empty space is not truly empty. Due to the **quantum uncertainty principle**, pairs of **virtual particles** (one with positive energy, one with negative) are constantly appearing and disappearing.
    - When a pair forms near the event horizon of a black hole, the particle with negative energy can fall into the black hole.

    - This allows the other particle, with positive energy, to escape as a **real particle**.
- **Black Holes Aren't So Black:** To an outside observer, this looks like the black hole is emitting a steady stream of particles. The black hole acts like a hot body with a temperature inversely proportional to its mass (the higher the mass, the lower the temperature).
- **Mass Loss:** The positive energy of the emitted radiation is balanced by a flow of negative energy into the black hole, which causes the black hole to lose mass. This confirms Bekenstein's idea, as the decrease in the black hole's event horizon area (entropy) is more than offset by the entropy of the emitted radiation.

Black Hole Evaporation and Primordial Black Holes

- **Evaporation:** As a black hole loses mass, its temperature rises and it evaporates at an accelerating rate. It eventually disappears in a final, massive explosion.
- **Stellar Black Holes:** A black hole formed from a collapsing star would have a mass several times that of the Sun. Its temperature would be incredibly low, and it would take an estimated 1066 years to evaporate—far longer than the current age of the universe.
- **Primordial Black Holes:** Black holes formed in the early universe could have much smaller masses. Hawking proposed that these **primordial black holes** with a mass around a billion tons would have a lifetime roughly equal to the current age of the universe.
    - These smaller black holes would have a very high temperature and would be emitting large amounts of **gamma rays**. This makes them potentially detectable.
    - Observations of the gamma-ray background in the universe, however, suggest that these primordial black holes are quite rare. Their scarcity implies the early universe was very smooth and uniform, a major discovery in itself.
- **Quantum Gravity:** Hawking's work on black hole radiation was the first significant result that blended the two major theories of the 20th century: **general relativity** and **quantum mechanics**. This marked a pivotal step toward developing a complete theory of quantum gravity, a quest that Hawking would pursue for the rest of his life.

Lecture 5: The Origin and Fate of the Universe

The Hot Big Bang Model

- **The Big Bang:** The lecture starts with the generally accepted model of the universe's origin, which posits that the universe began in a state of infinite temperature and density, known as the **Big Bang**.
- **Early Universe:** As the universe expanded, it cooled down.
    - **1 second:** The temperature was around 10 billion degrees Celsius. The universe was a hot soup of protons, neutrons, electrons, and photons.
    - **100 seconds:** The temperature dropped to 1 billion degrees Celsius, allowing protons and neutrons to fuse and form the nuclei of **helium** and other light elements.
    - **1 million years:** The temperature had cooled enough for electrons to combine with nuclei, forming stable **atoms**. This made the universe transparent, and the leftover radiation from this period is what we now observe as the **cosmic microwave background (CMB)**.
- **Galaxy and Star Formation:** Regions of the universe that were slightly denser than average began to collapse under their own gravity, forming rotating **galaxies**. Within these galaxies, smaller gas clouds collapsed to form **stars**, where nuclear fusion began.
- **Supernovas:** Massive stars eventually ran out of fuel and collapsed, often resulting in a **supernova explosion** that scatters heavier elements (like carbon and oxygen) into space. This "stardust" becomes the raw material for new stars and planets.

Unanswered Questions and the Anthropic Principle

Hawking highlights four major questions that the standard Big Bang model cannot answer on its own:

1. **Initial Temperature:** Why was the early universe so incredibly hot?
2. **Uniformity:** Why is the universe so uniform on a large scale? For example, the CMB is nearly the same temperature in every direction.
3. **Expansion Rate:** Why did the universe's expansion rate begin so precisely to avoid either a rapid recollapse or an empty, expanded state? This requires a fine-tuning of 1 part in 10^{18} (one hundred thousand million million).
4. **Density Fluctuations:** What was the origin of the small density differences that eventually led to the formation of stars and galaxies?

- **The Problem:** The standard Big Bang model suggests the universe's initial state had to be "carefully chosen" with extreme precision, an idea that Hawking finds unsatisfactory. This could lead to a theological explanation (God's design) or a resort to the **anthropic principle**, which states that the universe must be the way it is because if it were different, we wouldn't be here to observe it.

The Inflationary Model

- **Alan Guth's Proposal:** To address these fine-tuning problems, physicist Alan Guth proposed the **inflationary model**. He suggested that the early universe underwent a period of incredibly rapid, **exponential expansion**.
- **The Mechanism:** This inflation was driven by an "antigravity" force from a special kind of energy field present in the very early, supercooled universe.
    - This force was similar to **Einstein's cosmological constant**, but temporary.
    - It caused the universe to expand at an accelerating rate, smoothing out any initial irregularities and setting the expansion rate to the critical value.
- **"The Ultimate Free Lunch":** The inflationary period could also explain the vast amount of matter in the universe. The total energy of the universe is effectively zero (the positive energy of matter is cancelled out by the negative energy of gravity). During inflation, the universe could create more matter (positive energy) and more gravity (negative energy) without violating the law of energy conservation.
- **Ending Inflation:** The inflation ended when the universe's energy field transitioned to a stable state, releasing its energy and reheating the universe. This re-energized universe then continued to expand and cool according to the standard Big Bang model.

Quantum Gravity and the "No Boundary" Proposal

- **The Need for Quantum Gravity:** The Big Bang singularity, where all known laws of physics break down, cannot be explained by classical general relativity alone. A **quantum theory of gravity** is needed to understand the very beginning of the universe.
- **Imaginary Time:** Hawking and Jim Hartle developed a new approach to quantum gravity using **Feynman's sum over histories**. This method works by summing all possible paths a particle can take, but it requires using **imaginary time**—a mathematical concept where the distinction between time and space disappears.

- **The No Boundary Condition:** This approach suggests a new possibility for the universe's origin: that spacetime could be **finite in extent but have no boundary or edge**.
    - **Analogy:** The surface of the Earth is finite but has no edge. You don't fall off. Similarly, the universe, when described in imaginary time, would start as a point and expand, but this starting point (like the North Pole on Earth) would not be a singularity where the laws of physics break down.
- **Implications:** The "no boundary" proposal removes the need for a creator or external force to set the initial conditions of the universe. The universe would be entirely self-contained and "just be." While the universe in **real time** would still appear to start with a minimum size and have a future singularity (recollapse), the fundamental description in imaginary time would be free of singularities.

Lecture 6: The Direction of Time

- **The Problem of Time's Direction:** Hawking begins by exploring why time seems to have a single, forward direction in our everyday lives, even though the fundamental laws of physics are **time-symmetric**. This means that if you reverse the motion of all particles, the laws would still hold.
- **C, P, T Symmetry:** The laws of physics are believed to be invariant under the combined operations of **C, P, and T**.
    - **C (Charge Conjugation):** Swapping particles for antiparticles.
    - **P (Parity):** Taking a mirror image, swapping left and right.
    - **T (Time Reversal):** Reversing the direction of motion, or running time backward.
- **The Discrepancy:** While the fundamental laws don't show a preference for forward or backward time, everyday events—like a cup breaking—only happen in one direction. You never see a broken cup reassemble itself. This is a puzzle that requires an explanation.

Three Arrows of Time

Hawking identifies three distinct "arrows" that give time a direction:

1. **The Thermodynamic Arrow:** The direction in which **disorder** (entropy) increases. This is based on the **Second Law of Thermodynamics**, which states that the entropy of a closed system will never decrease. A broken cup is a highly disordered state, while a whole cup is an ordered state.
2. **The Psychological Arrow:** The direction in which we experience time passing, and in which we **remember the past** but not the future.
3. **The Cosmological Arrow:** The direction of time in which the **universe is expanding**, as opposed to contracting.

The Psychological and Thermodynamic Arrows

- **Connection:** Hawking argues that our subjective sense of time, the psychological arrow, is directly tied to the thermodynamic arrow.
- **Computer Analogy:** He uses a computer memory as a model. A memory records information by moving from a disordered state (equal probability of "one" or "zero") to an ordered state ("one" or "zero" with certainty). This process, however, requires energy, which is dissipated as heat and increases the overall disorder of the universe.
- **Conclusion:** Because our memories are formed in the direction of increasing disorder, we remember the past (when things were more ordered) and not the

future (when they will be more disordered). The psychological arrow and the thermodynamic arrow point in the same direction.

The No Boundary Condition and Time's Direction

- **The Problem:** The Second Law of Thermodynamics relies on the universe starting in a highly ordered state. But why did it begin this way? The classical Big Bang model can't explain this, as the singularity is a point where physics breaks down.
- **The No Boundary Proposal:** Hawking's **no boundary condition** provides a solution. It suggests that in the quantum theory of gravity, the universe has no beginning singularity. Instead, its history in **imaginary time** is like the surface of a sphere, starting and ending at smooth points (like the North and South poles) rather than singularities.
- **Explaining Order:** Under this proposal, the universe would have begun its expansion in a very **smooth and ordered state**. This initial high level of order is what drives the thermodynamic arrow. The universe naturally moves from a smooth state to a lumpy and disordered state as structures like galaxies and stars form.
- **Connecting the Arrows:** The no boundary condition implies that the thermodynamic and psychological arrows of time both point in the same direction as the cosmological arrow of time (expansion). We are living in the expansion phase of the universe, where disorder is increasing.

The Fate of the Universe and the Reversal of Time

- **A Reversing Arrow?** Hawking initially thought that if the universe were to eventually stop expanding and begin to **contract**, the thermodynamic and psychological arrows of time might also reverse. This would mean disorder would decrease and people would get younger.
- **Hawking's Correction:** However, he later realized he was mistaken. Subsequent work with his colleagues showed that the no boundary condition does **not** require the contracting phase to be a time-reversed version of the expansion phase.
- **Final Conclusion:** The thermodynamic and psychological arrows of time will continue to point in the same direction—increasing disorder—even if the universe begins to contract. This means there is no symmetry between the expansion and contraction phases, and broken cups would not reassemble themselves. Hawking admits this mistake, citing **Albert Einstein** as a good example of a scientist who also publicly corrected his errors.

Lecture 7: The Theory of Everything

The Search for a Unified Theory

- **Partial Theories:** We currently understand the universe through a set of partial theories, such as **general relativity** for gravity and other theories for the weak, strong, and electromagnetic forces. A **unified theory of everything** would combine all of these into a single, complete, and consistent framework.
- **Historical Context:** The quest for a unified theory has a long history. **Albert Einstein** spent his later years on this but was unsuccessful, partly because he rejected quantum mechanics and very little was known about nuclear forces at the time.
- **The Modern Challenge:** The biggest hurdle in creating a unified theory is that general relativity is a **classical theory**, while the other forces are described by **quantum mechanics**. The two are fundamentally incompatible, especially when dealing with the extreme energies of the very early universe. A key problem is that quantum fluctuations in gravity would cause infinite energy, leading to an infinite curvature of spacetime.

Attempts at Unification

- **Renormalization:** In other quantum theories, seemingly absurd infinities can be canceled out by a technique called **renormalization**. This process, however, is mathematically dubious and requires adjusting the values of particle masses and force strengths to match observations, rather than predicting them. This technique does not work for general relativity.
- **Supergravity:** In 1976, this theory attempted to unify gravity with other forces by introducing new particles. The idea was that the negative energy of some virtual particles would cancel out the positive energy of others, but it was too difficult to prove whether all infinities would be canceled.
- **String Theory:** This theory, which Hawking believes holds the most promise, proposes that the fundamental objects in the universe are not point-like particles but rather one-dimensional, vibrating loops of "string."
    - **World-Sheets:** The history of a string in spacetime is a 2D surface called a **world-sheet**, unlike a particle's 1D world-line.
    - **Forces as Vibrations:** Different vibrations or waves on the string correspond to different particles and forces, including gravity.
    - **Infinities:** String theory has the potential to solve the infinity problem that plagues other attempts to unify gravity.

    - **Extra Dimensions:** String theory is only mathematically consistent in 10 or 26 dimensions. The other dimensions are thought to be "curled up" into a tiny, unobservable size.

The Anthropic Principle and Life in a 4D Universe

- **Why 3+1 Dimensions?** The question remains why three spatial dimensions and one time dimension are the ones we experience. The **anthropic principle** offers a possible explanation.
- **Instability:** Life as we know it would be impossible in universes with more or less than three large spatial dimensions. For example, with more than three dimensions, gravity would decrease with distance faster than it does, leading to unstable planetary orbits and atoms that would either collapse or fall apart.
- **Conclusion:** We observe a 4D universe (3 space, 1 time) because life can only exist and evolve in such a universe. This is a powerful, though controversial, argument.

The Ultimate Goal of Science

- **The Three Possibilities:** Hawking considers three possibilities for the nature of a final theory:
    1. **A complete, unified theory exists**, and we will eventually discover it.
    2. **There is no ultimate theory**, just an infinite series of increasingly accurate theories.
    3. **There is no theory**, and events are fundamentally random.
- **Dismissing Randomness:** Hawking dismisses the third option, arguing that even quantum mechanics' randomness is governed by predictable laws. Our goal is to find laws that predict events up to the limits set by the uncertainty principle.
- **Gravitational Limit:** The second option (infinite theories) is challenged by gravity itself. At the extremely high **Planck energy** (10^{19} GeV), any particle would become a black hole and be cut off from the rest of the universe. This suggests that there is a fundamental limit, and therefore an ultimate theory must exist.
- **The "Why" Question:** Hawking concludes by reflecting on the philosophical implications of a complete theory. If we discover a single set of equations that governs the universe, we still face the ultimate question: **Why do these equations, and the universe they describe, exist at all?** This is the ultimate triumph of human reason, the goal that would allow us to "know the mind of God."